

FLOOR SLAB REPAIR AND RENOVATION WORK - PHASE 2 CENTRAL ELEMENTARY SCHOOL

PLAINFIELD, ILLINOIS

FOR

PLAINFIELD COMMUNITY CONSOLIDATED SCHOOL DISTRICT 202

PLAINFIELD, WILL COUNTY, ILLINOIS

ABBREVIATIONS AND SYMBOLS

AB ANCHOR BOLT	DL DEAD LOAD	INSUL. INSULATION	RD ROOF DRAIN
AC ACOUSTIC	DN DOWN	INT. INTERIOR	RENF. REINFORCING
AC.T. ACOUSTICAL TILE	DR. DOOR	JAN. JANITOR	REQD. REQUIRED
ADA AMERICANS WITH DISABILITIES ACT	DRWG. DRAWING	JT. JOINT	RHYS RESILIENT HETEROGENEOUS VINYL SHEET
AFF ABOVE FINISHED FLOOR	EA EACH	L LENGTH	RM. ROOM
ASC AMERICAN INSTITUTE OF STEEL CONSTRUCTION	EFS EXTERIOR INSULATED FINISH SYSTEM	LAM. LAMINATE	ROW RIGHT OF WAY
ALUM. ALUMINUM	EL. ELEVATION	LAV. LAVATORY	SC SOLID CORE
& AND	ELEV. ELEVATIONS (USGS)	LS. LONG	SCHED. SCHEDULE
AT AT	EQUIP. EQUIPMENT	LVT LUXURY VINYL TILE	SECT. SECTION
BB BULLETIN BOARD	EW EACH WAY	MAS. MASONRY	SF SQUARE FOOT
BD. BOARD	EW. ELECTRIC WATER COOLER	MATL. MATERIAL	SGT. STRUCTURAL GLAZED TILE
BIT. BITUMINOUS	EXIST. EXISTING	MAX. MAXIMUM	SH. SHEET
BLDG. BUILDING	EXP. EXPANSION	MECH. MECHANICAL	SM. SIMILAR
BLK. BLOCK	EXT. EXTERIOR	MFR. MANUFACTURER	SP. SPACES
BLKG. BLOCKING	FBO FURNISHED BY OTHERS	MIN. MINIMUM	SPEC. SPECIFICATION
BM. BEAM	FD FLOOR DRAIN	MISC. MISCELLANEOUS	SQ. SQUARE
BOT. BOTTOM	FDN. FOUNDATION	MO MASONRY OPENING	SS STAINLESS STEEL
BRG. BEARING	FE FIRE EXTINGUISHER	MPH MILES PER HOUR	STL. STEEL
BTN. BETWEEN	FEC FIRE EXTINGUISHER CABINET	MTL. METAL	STOR. STORAGE
BUR BUILT-UP ROOF	BY BOTTOM OF	MTD. MOUNTED	STRUCT. STRUCTURAL
CAB. CABINET	CLO. CLOSET	NC NOT IN CONTRACT	SUPT. SUPPORT
CB CHALKBOARD	FLR. FLOOR	NO. NUMBER	SUSP. SUSPENDED
CEIL. CEILING	FR. FRAME	NOM. NOMINAL	SY SQUARE YARD
CJ CONTROL JOINT	FRMG. FRAMING	NS NO SCALE	T. TREAD
CL CENTERLINE	FRT. FIRE RETARDANT TREATED	OC ON CENTER	TB TACK BOARD
CLO. CLOSET	FTG. FOOTING	OD OUTSIDE DIAMETER	TEMP. TEMPERED
CLR. CLEAR	GA. GAUGE	OF OUTSIDE FACE	TRK. TRUCK
CLRM. CLASSROOM	GALV. GALVANIZED	OH OVERHEAD	TL TOTAL LOAD
CMU CONCRETE MASONRY UNIT	GEN. GENERAL CONTRACTOR	OPG. OPENING	TOIL. TOILET
CO CLEAN OUT	GFCI GROUND FAULT CIRCUIT INTERRUPTER	OPP. OPPOSITE	TYP. TYPICAL
CLO. CLOSET	GFRG GLASS FIBER REINFORCED CONCRETE	PART. PARTITION	T/ TOP OF
CONC. CONCRETE	CONSTR. CONSTRUCTION	PRECAST	UNON UNLESS OTHERWISE NOTED
COND. CONDITION	CONT. CONTINUOUS	PEWB PRE-ENGINEERED WOOD BUILDING	VCT VINYL COMPOSITION TILE
CONSTR. CONSTRUCTION	CONTR. CONTRACTOR	PLAS. PLASTIC	VERT. VERTICAL
CONTR. CONTRACTOR	CORR. CORRIDOR	PL PLATE	VEST. VESTIBULE
CPT. CARPET	CYP. BD. GYPSUM BOARD	PL PLATE	VIF VERIFY IN FIELD
CT CERAMIC TILE	HC HOLLOW CORE	PT PORCELAIN TILE	W WIDTH
D DEEP	HM HOLLOW METAL	PSF POUNDS PER SQUARE FOOT	WC WATER CLOSET
DET. DETAIL	HRT HOMOGENEOUS RESILIENT TILE	PSI POUNDS PER SQUARE INCH	WD. WOOD
DF DRINKING FOUNTAIN	HT. HEIGHT	PER PER	W/WF WELDED WIRE FABRIC
DIA. DIAMETER	IF INSIDE FACE	QT QUARRY TILE	W/ WITH
DIM. DIMENSION		R. RISER	W/O WITHOUT
		RAD. RADIUS	WP WORK POINT

GENERAL DEMOLITION NOTES

- PERFORM DEMOLITION WORK AS NECESSARY TO ACCOMPLISH THE WORK INCLUDING THE REMOVAL AND PROPER DISPOSAL OF ITEMS WHICH ARE NOT TO REMAIN IN USE, INCLUDING BUT NOT NECESSARILY LIMITED TO FLOORING, WALL BASE, ETC.
- DRAWINGS INDICATE THE GENERAL INTENT OF THE DEMOLITION WORK AND ARE FOR REFERENCE PURPOSES ONLY. THEY ARE NOT INTENDED TO BE THE SOLE SOURCE OF EXISTING CONDITIONS TO BE DEMOLISHED.
- EXACT EXTENT OF DEMOLITION AS SHOWN ON DRAWINGS AND TO BE PERFORMED SHALL BE VERIFIED AT THE SITE. DETERMINE THE NATURE AND EXTENT OF DEMOLITION THAT WILL BE NECESSARY BY COMPARING THE DRAWINGS WITH EXISTING SITE CONDITIONS. OPERATIONS SHALL BE DONE IN A CAREFUL AND ORDERLY MANNER TO AVOID HAZARDS TO PERSONS AND PROPERTY, AND INTERFERENCE WITH THE USE OF ADJACENT AREA, AND INTERRUPTIONS OF FREE PASSAGE TO AND FROM SUCH AREA.
- PROPERLY DISPOSE OF DEMOLISHED MATERIALS AND OTHER OBSTACLES AS REQUIRED FOR A COMPLETE AND PROPER INSTALLATION OF NEW WORK AND THE DISPOSAL OF MATERIALS INCIDENTAL TO THE WORK.

GENERAL NOTES

- EACH BIDDER SHALL VISIT THE SITE OF PROPOSED WORK AND FULLY ACQUANT THEMSELVES WITH CONDITIONS RELATING TO CONSTRUCTION AND LABOR SO THAT THEY MAY FULLY UNDERSTAND THE FACILITIES, DIFFICULTIES AND RESTRICTIONS AFFECTING THE COMPLETION OF THE WORK INCLUDED UNDER THE CONTRACT.
- FIELD VERIFY AND COORDINATE ITEMS, DIMENSIONS, CONDITIONS, AND QUANTITIES, ETC. REVIEW ANY DISCREPANCIES WITH ARCHITECT.
- ITEMS INDICATED AS EXISTING ARE TO REMAIN, UNLESS OTHERWISE NOTED.
- VERIFY WITH OWNER ITEMS TO BE SALVAGED AND RETURNED TO OWNER, INCLUDING BUT NOT NECESSARILY LIMITED TO MECHANICAL, ELECTRICAL, ETC. ITEMS TO BE SALVAGED SHALL BE CAREFULLY REMOVED AS TO ALLOW FOR OWNER'S REUSE.
- MAINTAIN EXITS FROM THE EXISTING BUILDINGS AND SITE ACCESS THROUGH SUBSTANTIAL COMPLETION.
- EXISTING LOOSE ITEMS INCLUDING FURNITURE, EQUIPMENT, AND SUPPLIES SHALL BE REMOVED BY THE OWNER AS NECESSARY. COORDINATE MOVING SCHEDULE WITH OWNER FOR LOOSE ITEMS TO BE REMOVED BY OWNER PRIOR TO START OF THE WORK.
- WHERE NEW PENETRATIONS ARE MADE IN EXISTING WALLS, FLOORS, AND WHERE DEMOLITION HAS OCCURRED, CONTRACTOR SHALL RECONSTRUCT WALL OR FLOOR TIGHT AROUND PENETRATION WITH MATERIALS TO MATCH EXISTING WALL OR FLOOR CONSTRUCTION.
- PATCH AND REPAIR EXISTING CONSTRUCTION AND NEWLY EXPOSED CONSTRUCTION AFFECTED BY THE WORK WITH MATERIALS CONSISTENT WITH EXISTING CONSTRUCTION AND NEWLY EXPOSED CONSTRUCTION WHETHER OR NOT PATCH MATERIAL IS INDICATED ON DRAWINGS, TYP., UNLESS OTHERWISE NOTED. PROVIDE NECESSARY PREPARATORY WORK TO EXISTING CONSTRUCTION AFFECTED BY THE WORK TO RECEIVE NEW PROPER FINISHES. PROVIDE SPECIFIED PAINT FINISHES BLENDING WITH EXISTING ADJACENT SURFACES.
- PROPERLY PROTECT EXISTING BUILDING AND SURFACES INCLUDING BUT NOT LIMITED TO, CONCRETE WALKS, CURBS, PAVING, GRASS, LANDSCAPING, ETC. REPLACE DISTURBED AND DAMAGED AREAS WITH NEW LIKE MATERIALS, SOD, LANDSCAPING, ETC. MATCHING EXISTING.
- PATCH EXISTING SURFACES AFFECTED BY THE WORK TO MATCH ADJACENT SURFACES AND FINISHES, WHETHER SHOWN OR NOT, UNLESS OTHERWISE NOTED.

DRAWINGS INDEX

TITLE	
T-1	TITLE SHEET, ABBREVIATIONS AND SYMBOLS, GENERAL NOTES, DRAWINGS INDEX, CERTIFICATION
ARCHITECTURAL	
A-1	COMPOSITE FIRST FLOOR PLAN
A-2.1	UNIT A - FIRST FLOOR - PAINT PLAN
A-2.2	UNIT B - FIRST FLOOR - FINISH AND PAINT PLAN CT PATTERN PLAN

CERTIFICATION

Architect: Healy Bender Patton & Been Architects

We hereby certify that these Drawings and Specifications dated January 24, 2023 for the construction of the Floor Slab Repair and Renovation Work - Phase 2, Central Elementary School located at 23723 Getson Avenue, Plainfield, Illinois 60544 for Plainfield Community Consolidated School District 202 in Plainfield, Will County, Illinois were prepared under our supervision and to the best of our knowledge comply with 2015 International Building Code and 23 Illinois Administrative Code 180 as prepared and provided by the State Board of Education.


The Drawings consist of drawings as listed in the Drawings Index on the Healy Bender Patton & Been Architects drawing Title Sheet T-1.


The Specifications consist of specification sections as listed in the Healy Bender Patton & Been Architects Project Manual Table of Contents.

HEALY BENDER PATTON & BEEN ARCHITECTS

By: David G. Patton, AIA, LEED AP BD+C

License Number: 001-01421
License Expires: November 30, 2024

Signature: 











Professional Design Firm - Architect Corporation
Healy Bender Patton & Been Architects
David G. Patton, Managing Agent
License Number: 184-000385
Expiration Date: April 30, 2023





PROJECT COORDINATION

COORDINATE THE WORK WITHIN THESE DOCUMENTS WITH THE WORK INDICATED IN THE WISS, JANNEY, ELSTNER ASSOCIATES, INC. (WJE) DOCUMENTS.


MATERIAL INDICATIONS

 CMU	 GRAVEL
 CONCRETE	 INSULATION - RIGID BATT
 EARTH	 METAL - LARGE BATT
 FACE BRICK	 WOOD - ROUGH FINISHED


MARKING EXPLANATIONS

 DETAIL OR SECTION NUMBER	 DOOR NUMBER
 SHEET WHERE DETAIL OR SECTION APPEARS	 DOOR TYPE

ROOM INDEX		
UNIT A - FIRST FLOOR		UNIT B - FIRST FLOOR
101 MUSIC	124 CLASSROOM	154 ASSISTANT PRINCIPAL
101A STORAGE	125 CLASSROOM	154A CLOSET
102 ART	126 CLASSROOM	155 WORK ROOM
103 SPEECH	127 CLASSROOM	156 STAFF DINING
104 HEARING ITNERANT	127A TOILET	156A TOILET
105 PSYCHOLOGIST	128 OT / PT	156B TOILET
106 ELL	129 OFFICE	C101 CORRIDOR
107 CLASSROOM	130 COMPUTER LAB	C102 CORRIDOR
107A TOILET	131 READING	C103 CORRIDOR
107B STORAGE	132 READING	C104 CORRIDOR
108 CLASSROOM	133 SPEECH	C105 CORRIDOR
108A TOILET	134 STORAGE	C106 CORRIDOR
108B STORAGE	135 CLASSROOM	C107 PASSAGE
109 CLASSROOM	136 CONFERENCE	J101 JANITOR
109A TOILET	137 NOT USED	J102 JANITOR
110 CLASSROOM	140 STORAGE	C108 CORRIDOR
111 CLASSROOM	141 STORAGE	C109 CORRIDOR
112 CLASSROOM	142 STORAGE	C110 CORRIDOR
113 CLASSROOM	143 STORAGE	S101 STAIR
114 CLASSROOM	143 STORAGE	S102 STAIR
115 CLASSROOM	144 ELEVATOR MACHINE ROOM	S103 STAIR
115A STORAGE	145 STORAGE	S104 STAIR
116 CLASSROOM	146 MDF	T105 BOYS
117 CLASSROOM	147 WORK ROOM	T106 GRLS
118 CLASSROOM	148 MEDIA CENTER	V104 VESTIBULE
119 CLASSROOM	149 PRINCIPAL	V105 VESTIBULE
120 CLASSROOM	150 MAIN OFFICE	
121 CLASSROOM	151 NURSE	
122 CLASSROOM	151A TOILET	
123 CLASSROOM	152 PASSAGE	
123A STORAGE	153 STORAGE	
		138 SOCIAL WORKER
		139 READING SPECIALIST
		157 P.E. OFFICE / STORAGE
		158 MECHANICAL
		159 MULTI-PURPOSE ROOM
		160 MULTI-PURPOSE ROOM
		161 STORAGE
		162 KITCHEN
		162A STORAGE
		163 RECEIVING
		164 BOILER ROOM
		165 SPRINKLER ROOM
		166 ELECTRICAL



COMPOSITE FIRST FLOOR PLAN
1/8" = 1'-0"
0 4 8 16 32 48





GENERAL PAINTING NOTES

- PROPERLY PROTECT EXISTING ITEMS DURING CLEANING AND PAINTING INCLUDING BUT NOT LIMITED TO FLOORING MATERIALS, FACE BRICK, WINDOWS, HANDRAILS AND GUARDRAILS, CERAMIC TILE, ACOUSTICAL WALL TREATMENT, LOOSE FURNITURE AND EQUIPMENT, ELECTRICAL FIXTURES, SWITCHES, OUTLETS, AND EMERGENCY AND OTHER SAFETY DEVICES.
- PROVIDE PREPARATION AS NECESSARY PRIOR TO PAINTING WORK.
- PROVIDE NEW PAINT FINISH AS NOTED ON PLANS INCLUDING BUT NOT LIMITED TO WALLS, SOFFITS, AND ADDITIONAL SURFACES AFFECTED BY NEW WORK.
- PROVIDE EPOXY WALL COATING IN TOILET ROOMS, CORRIDORS, STAIRS, AND VESTIBULES.
- DO NOT PAINT ELECTRICAL FIXTURES, HOUSINGS, ELECTRICAL WALL DEVICES, SAFETY DEVICES, FIRE ALARM EQUIPMENT INCLUDING PULLS, HORNS, VISUAL DEVICES, SMOKE AND HEAT DETECTORS, ETC. PAINT EXPOSED ELECTRICAL CONDUIT AND ELECTRICAL BOXES. PAINT WIREMOLD IF PREVIOUSLY FIELD PAINTED. DO NOT PAINT PRE-FINISHED WIREMOLD IF NOT PREVIOUSLY PAINTED.
- DO NOT PAINT RUBBER WALL BASE.
- AT LOCATIONS OF PAINTED WALL MURALS, THE CONTRACTOR SHALL PROVIDE THE CORRECTIVE WORK AS DETAILED BY WJE DOCUMENTS. TOUCH-UP PAINT OF MURAL BY OWNER UNDER SEPARATE CONTRACT.

PAINT PLAN KEYNOTES:

- (P1) PAINT THE REPAIRED AREAS AFFECTED BY THE WORK WITH MATERIALS AND COLOR TO MATCH EXISTING ADJACENT AREAS. PROPERLY CLEAN AND PREPARE THE AREAS TO RECEIVE PAINT MATERIALS. PAINT ENTIRE WALL RECEIVING REPAIR WORK FULL HEIGHT FROM CORNER TO CORNER AND FLOOR TO CEILING INCLUDING SOFFITS (OR BOTTOM OF EXPOSED ROOF DECK). COORDINATE WITH WJE DOCUMENTS, VIF.
- (P2) PAINT NEW SEALANT - MATCH EXISTING ADJACENT AREAS. COORDINATE WITH WJE DOCUMENTS, VIF.

ROOM INDEX			
UNIT A - FIRST FLOOR		UNIT B - FIRST FLOOR	
101 MUSIC	124 CLASSROOM	154 ASSISTANT PRINCIPAL	138 SOCIAL WORKER
101A STORAGE	125 CLASSROOM	154A CLOSET	139 READING SPECIALIST
102 ART	126 CLASSROOM	155 WORK ROOM	157 P.E. OFFICE / STORAGE
103 SPEECH	127 CLASSROOM	156 STAFF DINING	158 MECHANICAL
104 HEARING ITNERANT	127A TOILET	156A TOILET	159 MULTI-PURPOSE ROOM
105 PSYCHOLOGIST	128 OT / PT	156B TOILET	160 STORAGE
106 ELL	129 OFFICE	C101 CORRIDOR	162 KITCHEN
107 CLASSROOM	130 COMPUTER LAB	C102 CORRIDOR	162A STORAGE
107A TOILET	131 READING	C103 CORRIDOR	163 RECEIVING
107B STORAGE	132 READING	C104 CORRIDOR	164 BOILER ROOM
108 CLASSROOM	133 SPEECH	C105 CORRIDOR	165 SPRINKLER ROOM
108A TOILET	134 STORAGE	C106 CORRIDOR	166 ELECTRICAL
108B STORAGE	135 CLASSROOM	C107 PASSAGE	
109 CLASSROOM	136 CONFERENCE		
109A TOILET	137 NOT USED		
110 CLASSROOM		J101 JANITOR	C108 CORRIDOR
111 CLASSROOM		J102 JANITOR	C109 CORRIDOR
112 CLASSROOM	140 STORAGE		C110 CORRIDOR
113 CLASSROOM	141 STORAGE	S101 STAIR	T105 BOYS
114 CLASSROOM	142 STORAGE	S102 STAIR	T106 GRLS
115 CLASSROOM	143 STORAGE	S103 STAIR	
115A STORAGE	144 ELEVATOR MACHINE ROOM	S104 STAIR	V104 VESTIBULE
116 CLASSROOM	145 STORAGE		V105 VESTIBULE
117 CLASSROOM	146 MDF		
118 CLASSROOM	147 WORK ROOM	T101 BOYS	
119 CLASSROOM	148 MEDIA CENTER	T102 GRLS	
120 CLASSROOM	149 PRINCIPAL	T103 BOYS	
121 CLASSROOM	150 MAIN OFFICE	T104 GRLS	
122 CLASSROOM	151 NURSE		
123 CLASSROOM	151A TOILET	V101 VESTIBULE	
123A STORAGE	152 PASSAGE	V102 VESTIBULE	
	153 STORAGE	V103 VESTIBULE	



1 UNIT A - FIRST FLOOR - PAINT PLAN
 A-2.1
 1/8" = 1'-0"
 0 2 4 8 16 24
 NORTH

ROOM INDEX			
UNIT A - FIRST FLOOR		UNIT B - FIRST FLOOR	
101 MUSIC	124 CLASSROOM	154 ASSISTANT PRINCIPAL	138 SOCIAL WORKER
101A STORAGE	125 CLASSROOM	154A CLOSET	139 READING SPECIALIST
102 ART	126 CLASSROOM	155 WORK ROOM	157 P.E. OFFICE / STORAGE
103 SPEECH	127 CLASSROOM	156 STAFF DINING	158 MECHANICAL
104 HEARING ITNERANT	127A TOILET	156A TOILET	159 MULTI-PURPOSE ROOM
105 PSYCHOLOGIST	128 OT / PT	156B TOILET	160 STORAGE
106 ELL	129 OFFICE	C101 CORRIDOR	161 STORAGE
107 CLASSROOM	130 COMPUTER LAB	C102 CORRIDOR	162 KITCHEN
107A TOILET	131 READING	C103 CORRIDOR	162A STORAGE
107B STORAGE	132 READING	C104 CORRIDOR	163 RECEIVING
108 CLASSROOM	133 SPEECH	C105 CORRIDOR	164 BOILER ROOM
108A TOILET	134 STORAGE	C106 CORRIDOR	165 SPRINKLER ROOM
108B STORAGE	135 CLASSROOM	C107 PASSAGE	166 ELECTRICAL
109 CLASSROOM	136 CONFERENCE	J101 JANITOR	C108 CORRIDOR
109A TOILET	137 NOT USED	J102 JANITOR	C109 CORRIDOR
110 CLASSROOM			C110 CORRIDOR
111 CLASSROOM	140 STORAGE	S101 STAIR	T105 BOYS
112 CLASSROOM	141 STORAGE	S102 STAIR	T106 GRLS
113 CLASSROOM	142 STORAGE	S103 STAIR	V104 VESTIBULE
114 CLASSROOM	143 STORAGE	S104 STAIR	V105 VESTIBULE
115 CLASSROOM	144 ELEVATOR MACHINE ROOM		
115A STORAGE	145 STORAGE		
116 CLASSROOM	146 MDF		
117 CLASSROOM	147 WORK ROOM		
118 CLASSROOM	148 MEDIA CENTER		
119 CLASSROOM	149 PRINCIPAL		
120 CLASSROOM	150 MAIN OFFICE		
121 CLASSROOM	151 NURSE		
122 CLASSROOM	151A TOILET		
123 CLASSROOM	152 PASSAGE		
123A STORAGE	153 STORAGE		

LEGEND: FLOOR FINISH TYPE

- CT CERAMIC TILE
- RHVS RESILIENT HETEROGENEOUS VINYL SHEET FLOORING - TARKETT PERFORMA: 55024 MYRTLE
- VCT VINYL COMPOSITION TILE

NOTES:

- RUBBER BASE: JOHNSONITE, BASEWORKS - COLOR TO BE SELECTED BY ARCHITECT.
- RUBBER TRANSITION EDGING: JOHNSONITE - COLOR TO BE SELECTED BY ARCHITECT.

GENERAL CAULKING NOTE:
CAULK ALONG VCT AT HOLLOW METAL DOOR AND SIDELIGHT FRAMES, STEEL COLUMNS, ETC. CAULKED JOINT TO BE NEATLY TOOLED AND UNIFORM WITH MONOLITHIC APPEARANCE, WITHOUT GAPS, PILLING, OR EXCESSIVE WIDTH.

FINISH PLAN KEYNOTES:


- F1 AREA OF EXISTING FLOORING AND BASE TO BE REMOVED AND REPLACED TO ACCOMMODATE FLOOR SLAB REPAIR - VERIFY EXACT EXTENTS OF FLOORING AND BASE REPLACEMENT IN FIELD. COORDINATE WITH WJE DOCUMENTS.
- F2 EXISTING FLOORING TO BE REMOVED ALONG EXISTING FLOORING JOINT LINE. COORDINATE WITH WJE DOCUMENTS.
- F3 CAREFULLY SAWCUT ALONG GROUT JOINT AND REMOVE EXISTING CERAMIC TILE FLOORING AND COVE BASE. PROVIDE NEW CERAMIC TILE FLOORING AND COVE BASE, MATCHING EXISTING COLORS AND PATTERNS, ALIGNING WITH AND FLUSH WITH EXISTING CERAMIC TILE FLOORING AND COVE BASE. PROPERLY REPAIR DAMAGED WALL AREAS AS REQUIRED TO PROVIDE A STABLE SUBSTRATE FOR NEW CERAMIC TILE COVE BASE. COORDINATE WITH WJE DOCUMENTS.
- F4 CUT IN NEW VCT COURT MARKINGS TO MATCH EXISTING ADJACENT VCT COURT MARKINGS, V.F. COORDINATE WITH WJE DOCUMENTS.

GENERAL PAINTING NOTES

- PROPERLY PROTECT EXISTING ITEMS DURING CLEANING AND PAINTING INCLUDING BUT NOT LIMITED TO FLOORING MATERIALS, FACE BRICK, WINDOWS, HANDRAILS AND GUARDRAILS, CERAMIC TILE, ACOUSTICAL WALL TREATMENT, LOOSE FURNITURE AND EQUIPMENT, ELECTRICAL FIXTURES, SWITCHES, OUTLETS, AND EMERGENCY AND OTHER SAFETY DEVICES.
- PROVIDE PREPARATION AS NECESSARY PRIOR TO PAINTING WORK.
- PROVIDE NEW PAINT FINISH AS NOTED ON PLANS INCLUDING BUT NOT LIMITED TO WALLS, SOFFITS, AND ADDITIONAL SURFACES AFFECTED BY NEW WORK.
- PROVIDE EPOXY WALL COATING IN TOILET ROOMS, CORRIDORS, STAIRS, AND VESTIBULES.
- DO NOT PAINT ELECTRICAL FIXTURES, HOUSINGS, ELECTRICAL WALL DEVICES, SAFETY DEVICES, FIRE ALARM EQUIPMENT INCLUDING PULLS, HORNS, VISUAL DEVICES, SMOKE AND HEAT DETECTORS, ETC. PAINT EXPOSED ELECTRICAL CONDUIT AND ELECTRICAL BOXES. PAINT WIREMOLD IF PREVIOUSLY FIELD PAINTED. DO NOT PAINT PRE-FINISHED WIREMOLD IF NOT PREVIOUSLY PAINTED.
- DO NOT PAINT RUBBER WALL BASE.
- AT LOCATIONS OF PAINTED WALL MURALS, THE CONTRACTOR SHALL PROVIDE THE CORRECTIVE WORK AS DETAILED BY WJE DOCUMENTS. TOUCH-UP PAINT OF MURAL BY OWNER UNDER SEPARATE CONTRACT.

PAINT PLAN KEYNOTES:

- P1 PAINT THE REPAIRED AREAS AFFECTED BY THE WORK WITH MATERIALS AND COLOR TO MATCH EXISTING ADJACENT AREAS. PROPERLY CLEAN AND PREPARE THE AREAS TO RECEIVE PAINT MATERIALS. PAINT ENTIRE WALL RECEIVING REPAIR WORK FULL HEIGHT FROM CORNER TO CORNER AND FLOOR TO CEILING INCLUDING SOFFITS (OR BOTTOM OF EXPOSED ROOF DECK). COORDINATE WITH WJE DOCUMENTS, V.F.
- P2 PAINT NEW SEALANT - MATCH EXISTING ADJACENT AREAS. COORDINATE WITH WJE DOCUMENTS, V.F.
- P3 PAINT THE REPAIRED AREAS AFFECTED BY THE WORK WITH MATERIALS AND COLORS TO MATCH EXISTING ADJACENT AREAS FOR CRACKS REPAIRED WITH CMJ. AT MINIMUM PAINT REPLACEMENT CMJ PLUS ONE (1) CMJ EACH ADJACENT SIDE OF REPLACEMENT CMJ FOR CRACKS REPAIRED AT A MORTAR JOINT BETWEEN CMJ, PAINT THE JOINTS AND, AT MINIMUM, TWO (2) ADJACENT CMJS. COORDINATE WITH WJE DOCUMENTS, V.F.




LEGEND: CERAMIC TILE


- NEW CT COLOR 'A' - FIELD DAL-TILE KEYSTONES - TO BE SELECTED
- NEW CT COLOR 'A' - COVE BASE DAL-TILE KEYSTONES - TO BE SELECTED
- NEW CT COLOR 'B' - ACCENT DAL-TILE KEYSTONES - TO BE SELECTED
- NEW CT COLOR 'C' - ACCENT DAL-TILE KEYSTONES - TO BE SELECTED

NOTES:

- REFER TO ACTUAL COLOR SAMPLES FOR ACCURATE COLOR REPRESENTATION.



2 CT PATTERN PLAN - ROOM T106
A-2.2 1/2" = 1'-0"
0 1 2 4 6



KEY PLAN
NO SCALE

1 UNIT B - FIRST FLOOR - FINISH AND PAINT PLAN
A-2.2 1/4" = 1'-0"
0 2 4 8 16 24